The Clinical Journal of Pain Volume 15, 1999

Author Index

Abdel-Moty, E. see Fishbain, D. A.

Arendt-Nielsen, L. see Curatolo, M.

Aronoff, G. M.

Letter to the Editor: Response to Dr. Quintner's letter to the editor, 157

Asmundson, G. J. G. see Hadjistavropoulos, H. D.

Ballantyne, M.

Stevens, B., McAllister, M., Dionne, K., Jack, A.: Validation of the premature infant pain profile in the clinical setting, 297

Bartmann, U. see Leibing, E.

Bennett, S. M. see Gilbert, C. A.

Beyer, A. see Radbruch, L.

Bonicalzi, V.

Canavero, S.: Letter to the Editor: CRPS: Are guidelines possible?, 159

Brown, J.

Klapow, J., Doleys, D., Lowery, D., Tutak, U.: Disease-specific and generic health outcomes: A model for the evaluation of long-term intrathecal opioid therapy in noncancer low back pain patients, 122

Brusselmans, G. see Devulder, J.

Bunting, S. see Edwards, R. R.

Campbell, M. A.

McGrath, P. J.: Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Canavero, S. see Bonicalzi, V.

Chambers, C. T. see Oberlander, T. F.

Clark, J. D.

Edwards, T.: Severe respiratory depression in a patient with gastroparesis while receiving opioids for pain, 321

Court, C. A. see Gilbert, C. A.

Craig, K. D. see Gilbert, C. A.; LaChapelle, D. L.; Oberlander, T. F.

Crul, B. J. P. see van Dongen, R. T. M.

Curatolo, M., Kaufmann, R., Petersen-Felix, S., Arendt-Nielsen, L., Scaramozzino, P., Zbinden, A. M.: Block of pinprick and cold sensation poorly correlate with relief of postoperative pain during epidural analgesia, 6

Cutler, R. B. see Fishbain, D. A.

de Boo, T. see Oerlemans, H. M.

De Laat, M. see Devulder, J.

Deene, P. see Devulder, J.

Devulder, J.

Deene, P., De Laat, M., Van Bastelacre, M., Brusselmans, G., Rolly, G.: Nerve root sleeve injections in patients with failed back surgery syndrome: A comparison of three solutions, 132

Dionne, K. see Ballantyne, M.

Doleys, D. see Brown, J.

Doleys, D. M.

Letter to the Editor: "Release-to-work" versus return-to-work, 324

Edwards, R. R.

Fillingim, R. B., Yamauchi, S., Sigurdsson, A., Bunting, S., Mohorn, S. G., Maixner, W.: Effects of gender and acute dental pain on thermal pain responses, 233

Edwards, T. see Clark, J. D.

Ekholm, J. see Ohnmeiss, D. D.

Eveleigh, D. J. see Okifuji, A.

Fanurik, D.

Koh, J. L., Schmitz, M. L., Harrison, R. D., Roberson, P. K., Killebrew, P.: Pain assessment and treatment in children with cognitive impairment: A survey of nurses' and physicians' beliefs, 304

Fillingim, R. B. see Edwards, R. R.

Wilkinson, C. S., Powell, T.: Self-reported abuse history and pain complaints among young adults, 85

Fishbain, D. A.

Cutler, R. B., Rosomoff, H., Khalil, T., Abdel-Moty, E., Steele-Rosomoff, R.: Validity of the *Dictionary of Occupational Titles* residual functional capacity battery, 102

Cutler, R. B., Rosomoff, H., Khalil, T., Steele-Rosomoff, R.: Prediction of "intent," "discrepancy with intent," and "discrepancy with nonintent" for the patient with chronic pain to return to work after treatment at a pain facility, 141

Cutler, R. B., Rosomoff, H., Steele-Rosomoff, R.: Validity of selfreported drug use in chronic pain patients, 184

Cutler, R. B., Rosomoff, H. L., Steele-Rosomoff, R.: Chronic pain disability exaggeration/malingering and submaximal effort research. 244

Fleischmann, R. see Hale, M. E.

Galanos, A. see Lyritis, G. P.

Galer, B. S. see Rashiq, S.

Gallagher, R. M.

Editorial: Measurement in clinical disorder: From symptom onset to longitudinal outcome, 75

Editorial: The pain medicine and primary care community rehabilitation model: Monitored care for pain disorders in multiple settings, 1

Garofalo, J. P. see La Vonne Wesley, A.

Gatchel, R. J. see La Vonne Wesley, A.

Geisser, M. E. see Riley, J. L., III

Gilbert, C. A. see Oberlander, T. F.

Lilley, C. M., Craig, K. D., McGrath, P. J., Court, C. A., Bennett, S. M., Montgomery, C. J.: Postoperative pain expression in preschool children: Validation of the Child Facial Coding System, 192

Haanpää, M.

Laippala, P., Nurmikko, T.: Pain and somatosensory dysfunction in acute herpes zoster, 78

Hadjistavropoulos, H. D.

Asmundson, G. J. G., Norton, G. R.: Validation of the Coping with Health, Injuries, and Problems Scale in a chronic pain sample, 41 Hadjistavropoulos, T. see LaChapelle, D. L.

Hale, M. E.

Fleischmann, R., Salzman, R., Wild, J., Iwan, T., Swanton, R. E., Kaiko, R. F., Lacouture, P. G.: Efficacy and safety of controlledrelease oxycodone versus immediate-release oxycodone: Randomized, double-blind evaluation in patients with chronic back pain, 179

Harrison, R. D. see Fanurik, D.

Ioannidis, G. V. see Lyritis, G. P. Iwan, T. see Hale, M. E.

Jack, A. see Ballantyne, M.

Kaiko, R. F. see Hale, M. E.

Kaloudis, J. see Lyritis, G. P.

Karachalios, Th. see Lyritis, G. P.

Kataxaki, E. see Lyritis, G. P.

Kaufmann, R. see Curatolo, M.

Keefe, F. see Weiner, D.

Kelley, C. see Sherry, D. D.

Khalil, T. see Fishbain, D. A. Kidder, M. see Sherry, D. D.

Killebrew, P. see Fanurik, D.

Klapow, J. see Brown, J.

Klinger, L.

Spaulding, S. J., Polatajko, H. J., MacKinnon, J. R., Miller, L.: Chronic pain in the elderly: Occupational adaptation as a means of coping with osteoarthritis of the hip and/or knee, 275

Koh, J. L. see Fanurik, D.

Kumar, P. see Raghavan, R.

La Vonne Wesley, A.

Gatchel, R. J., Garofalo, J. P., Polatin, P. B.: Toward more accurate use of the Beck Depression Inventory with chronic back pain patients, 117

LaChapelle, D. L.

Hadjistavropoulos, T., Craig, K. D.: Pain measurement in persons with intellectual disabilities, 13

Lacouture, P. G. see Hale, M. E.

Ladd, K. see Weiner, D.

Laippala, P. see Haanpää, M.

Lehmann, K. A. see Radbruch, L.

Leibing, E.

Pfingsten, M., Bartmann, U., Rueger, U., Schuessler, G.: Cognitivebehavioral treatment in unselected rheumatoid arthritis outpatients, 58

Lilley, C. M. see Gilbert, C. A.

Linchitz, R. M.

Raheb, J. C.: Subcutaneous infusion of lidocaine provides effective pain relief for CRPS patients, 67

Lindena, G. see Radbruch, L.

Loick, G. see Radbruch, L.

Lowery, D. see Brown, J.

Lynch, J. see Radbruch, L.

Lyritis, G. P.

Ioannidis, G. V., Karachalios, Th., Roidis, N., Kataxaki, E., Papaioannou, N., Kaloudis, J., Galanos, A.: Analgesic effect of salmon calcitonin suppositories in patients with acute pain due to recent osteoporotic vertebral crush fractures: A prospective double-blind, randomized, placebo-controlled clinical study, 284 MacKinnon, J. R. see Klinger, L.

Maixner, W. see Edwards, R. R.

Marcus, N. J.

AAPM President's Message: Outcomes effectiveness research, 77 AAPM President's Message: Presidential address, 4

McAllister, M. see Ballantyne, M.

McCarberg, B.

Wolf, J.: Chronic pain management in a health maintenance organization, 50

McConnell, E. see Weiner, D.

McGrath, P. J. see Campbell, M. A.; Gilbert, C. A.

Merskey, H. see Unruh, A. M.

Miller, L. see Klinger, L.

Mohorn, S. G. see Edwards, R. R.

Montgomery, C. J. see Gilbert, C. A.

Norton, G. R. see Hadjistavropoulos, H. D.

Nurmikko, T. see Haanpää, M.

O'Donnell, M. E. see Oberlander, T. F.

Oberlander, T. F.

Gilbert, C. A., Chambers, C. T., O'Donnell, M. E., Craig, K. D.: Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment, 201

Oerlemans, H. M.

Oostendorp, R. A. B., de Boo, T., Perez, R. S. G. M., Goris, R. J. A.: Signs and symptoms in complex regional pain syndrome type *U*reflex sympathetic dystrophy: Judgment of the physician *versus* objective measurement, 224

Ohnmeiss, D. D.

Vanharanta, H., Ekholm, J.: Relation between pain location and disc pathology: A study of pain drawings and CT/discography, 210

Okifuji, A.

Turk, D. C. Eveleigh, D. J.: Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant other," 290

Oostendorp, R. A. B. see Oerlemans, H. M.

Papaioannou, N. see Lyritis, G. P.

Perez, R. S. G. M. see Oerlemans, H. M.

Petersen-Felix, S. see Curatolo, M.

Peterson, B. see Weiner, D.

Pfingsten, M. see Leibing, E.

Polatajko, H. J. see Klinger, L.

Polatin, P. B. see La Vonne Wesley, A.

Powell, T. see Fillingim, R. B.

Quintner, J.

Letter to the Editor: Response to Gerald Aronoff, 155

Radbruch, L.

Loick, G., Schulzeck, S., Beyer, A., Lynch, J., Stemmler, M., Lindena, G., Lehmann, K. A.: Intravenous titration with morphine for severe cancer pain: Report of 28 cases, 173

Raghavan, R.

Sharma, P. S. V. N., Kumar, P.: Letter to the Editor: Abacus VAS in burn pain assessment, 238

Raheb, J. C. see Linchitz, R. M.

Rashiq, S

Galer, B. S.: Proximal myofascial dysfunction in complex regional pain syndrome: A retrospective prevalence study, 151 Reuger, U. see Leibing, E.

Riley, J. L., III

Robinson, M. E., Geisser, M. E.: Empirical subgroups of the coping strategies questionnaire-revised: A multisample study, 111

Zawacki, T. M., Robinson, M. E., Geisser, M. E.: Empirical test of the factor structure of the West Haven-Yale Multidimensional Pain Inventory, 24

Ritchie J. see Unruh, A. M.

Roberson, P. K. see Fanurik, D.

Robinson, J. P.

Letter to the Editor: Response to letter by Dr. Daniel M. Doleys, 325

Robinson, M. E. see Riley, J. L., III

Roidis, N. see Lyritis, G. P.

Rolly, G. see Devulder, J.

Rosomoff, H. L. see Fishbain, D. A.

Saberski, L. R.

Letter to the Editor: Medullary and CNS dysfunction in chronic pain, 155

Salzman, R. see Hale, M. E.

Sapp, L. see Sherry, D. D.

Scaramozzino, P. see Curatolo, M.

Schmitz, M. L. see Fanurik, D.

Schofferman, J.

Long-term opioid analgesic therapy for severe refractory lumbar spine pain, 136

Schuessler, G. see Leibing, E.

Schulzeck, S. see Radbruch, L.

Segal, R.

Letter to the Editor: Consensus report therapy guidelines for CRPS, 154

Sharma, P. S. V. N. see Raghavan, R.

Sherry, D. D.

Wallace, C. A., Kelley, C., Kidder, M., Sapp, L.: Short-and longterm outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218

Sigundsson, A. see Edwards, R. R.

Spaulding, S. J. see Klinger, L.

Steele-Rosomoff, R. see Fishbain, D. A.

Stemmler, M. see Radbruch, L.

Stevens, B. see Ballantyne, M.

Swanton, R. E. see Hale, M. E.

Thompson, J.

Letter to the Editor: Response to Dr. Quintner's letter to the editor, 158

Turk, D. C. see Okifuji, A.

Editorial: Continuity and change, 163

Editorial: Here we go again: outcomes, outcomes, outcomes, 241

Tutak, U. see Brown, J.

Unruh, A. M.

Ritchie, J., Merskey, H.: Does gender affect appraisal of pain and pain coping strategies?, 31

Van Bastelacre, M. see Devulder, J.

van Dongen, R. T. M.

Crul, B. J. P., van Egmond, J.: Intrathecal coadministration of bupivacaine diminishes morphine dose progression during long-term intrathecal infusion in cancer patients, 166

van Egmond, J. see van Dongen, R. T. M.

Vanharanta, H. see Ohnmeiss, D. D.

Wallace, C. A. see Sherry, D. D.

Weiner, D.

Peterson, B., Ladd, K., McConnell, E., Keefe, F.: Pain in nursing home residents: An exploration of prevalence, staff perspectives, and practical aspects of measurement, 92

Wild, J. see Hale, M. E.

Wilkinson, C. S. see Fillingim, R. B.

Wolf, J. see McCarberg, B.

Yamauchi, S. see Edwards, R. R.

Zawacki, T. M. see Riley, J. L., III

Zbinden, A. M. see Curatolo, M.

The Clinical Journal of Pain Volume 15, 1999

Subject Index

AAPM President's Message

Outcomes effectiveness research, 77

Presidential address, 4

Abuse

Self-reported abuse history and pain complaints among young adults. 85

Adolescents

Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment, 201

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Aged

Chronic pain in the elderly: Occupational adaptation as a means of coping with osteoarthritis if the hip and/or knee, 275

Allodynia

Pain and somatosensory dysfunction in acute herpes zoster, 78

Analysiss

Long-term opioid analgesic therapy for severe refractory lumbar spine pain, 136

Appraisal

Does gender affect appraisal of pain and pain coping strategies?,

Assessment

Empirical test of the factor structure of the West Haven-Yale Multidimensional Pain Inventory, 24

Validation of the premature infant pain profile in the clinical setting, 297

Back pain

Efficacy and safety of controlled-release versus immediate-release oxycodone: Randomized, double-blind evaluation in patients with chronic back pain, 179

Beck Depression Inventory

Toward more accurate use of the Beck Depression Inventory with chronic back pain patients, 117

Cancer pain

Intrathecal coadministration of bupivacaine diminishes morphine dose progression during long-term intrathecal infusion in cancer patients, 166

Intravenous titration with morphine for severe cancer pain: Report of 28 cases, 173

Cardiac autonomic response

Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment, 201

Causalgia

Subcutaneous infusion of lidocaine provides effective pain relief for CRPS patients, 67

Children

Pain assessment and treatment in children with cognitive impairment: A survey of nurses' and physicians' beliefs, 304

Short and long-term outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218 Chronic back pain

Toward more accurate use of the Beck Depression Inventory with chronic back pain patients, 117

Chronic pain

Chronic pain in the elderly: Occupational adaptation as a means of coping with osteoarthritis of the hip and/or knee, 275

Chronic pain management in a health maintenance organization, 50 Validity of the *Dictionary of Occupational Titles* residual functional capacity battery, 102

Chronic pain patients

Prediction of "intent," "discrepancy with intent," and "discrepancy with nonintent" for the patient with chronic pain to return to work after treatment at a pain facility, 141

Validity of self-reported drug use in chronic pain patients, 184

Chronic pain treatment

Disease-specific and generic health outcomes: A model for the evaluation of long-term intrathecal opioid therapy in noncancer low back pain patients, 122

Chronic regional pain syndrome, type I

Short and long-ter, a outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218

Clinical validation

Validation of the premature infant pain profile in the clinical setting, 297

Cluster analysis

Empirical subgroups of the coping strategies questionnaire-revised: A multisample study, 111

Cognitive-behavioral treatment

Chronic pain management in a health maintenance organization, 50 Cognitive-behavioral treatment in unselected rheumatoid arthritis outpatients, 58

Cognitive impairment

Pain assessment and treatment in children with cognitive impairment: A survey of nurses' and physicians' beliefs, 304

Cold test

Block of pinprick and cold sensation poorly correlate with relief of postoperative pain during epidural analgesia, 6

Community survey

Does gender affect appraisal of pain and pain coping strategies?, 31 Complex Regional Pain Syndrome

Proximal myofascial dysfunction in Complex Regional Pain Syndrome: A retrospective prevalence study, 151

Complex Regional Pain Syndrome I and/or II (CRPS)

Subcutaneous infusion of lidocaine provides effective pain relief for CRPS patients, 67

Complex regional pain syndrome type I

Signs and symptoms in complex regional pain syndrome type I/reflex sympathetic dystrophy: Judgment of the physician versus objective measurement, 224

Continuous infusion

Intrathecal coadministration of bupivacaine diminishes morphine dose progression during long-term intrathecal infusion in cancer patients, 166

Control group

Chronic pain management in a health maintenance organization, 50 Controlled-release formulation

Efficacy and safety of controlled-release versus immediate-release oxycodone: Randomized, double-blind evaluation in patients with chronic back pain, 179

Coping

Cognitive-behavioral treatment in unselected rheumatoid arthritis outpatients, 58

Does gender affect appraisal of pain and pain coping strategies?, 31 Empirical subgroups of the coping strategies questionnaire-revised: A multisample study, 111

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Validation of the Coping with Health, Injuries, and Problems Scale in a chronic pain sample, 41

Coping Strategies Questionnaire

Empirical subgroups of the coping strategies questionnaire-revised:
A multisample study, 111

Corticosteroids

Nerve root sleeve injections in patients with failed back surgery syndrome: A comparison of three solutions, 132

Dental pain

Effects of gender and acute dental pain on thermal pain responses, 233

Depression

Self-reported abuse history and pain complaints among young adults, 85

Toward more accurate use of the Beck Depression Inventory with chronic back pain patients, 117

Developmental delay

Pain assessment and treatment in children with cognitive impairment: A survey of nurses' and physicians' beliefs, 304

Dictionary of Occupational Titles

Validity of the *Dictionary of Occupational Titles* residual functional capacity battery, 102

Discography

Relation between pain location and disc pathology: A study of pain drawings and CT/Discography, 210

Dose titration

Intravenous titration with morphine for severe cancer pain: Report of 28 cases, 173

Dysmenorrhea

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Editorials

Continuity and change, 163

Here we go again: Outcomes, outcomes, outcomes, 241

Measurement in clinical disorder: From symptom onset to longitudinal outcome, 75

Pain medicine and primary care community rehabilitation model: Monitored care for pain disorders in multiple settings, 1

Elderly

Pain in nursing home residents: An exploration of prevalence, staff perspectives, and practical aspects of measurement, 92

Epidural analgesia

Block of pinprick and cold sensation poorly correlate with relief of postoperative pain during epidural analgesia, 6

Exercise therapy

Short- and long-term outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218

Facial Action Coding System (FACS)

Pain measurement in persons with intellectual disabilities, 13

Facial activity

Postoperative pain expression in preschool children: Validation of the Child Facial Coding System

Facial expression

Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment, 201

Facial expression of pain

Pain measurement in persons with intellectual disabilities, 13 Factor analysis

Empirical subgroups of the coping strategies questionnaire-revised: A multisample study, 111

Empirical test of the factor structure of the West Haven-Yale Multidimensional Pain Inventory, 24

Validation of the Coping with Health, Injuries, and Problems Scale in a chronic pain sample, 41

Failed back surgery

Nerve root sleeve injections in patients with failed back surgery syndrome: A comparison of three solutions, 132

Females

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Functional capacity

Validity of the Dictionary of Occupational Titles residual functional capacity battery, 102

Functional difficulty

Chronic pain in the elderly: Occupational adaptation as a means of coping with osteoarthritis of the hip and/or knee, 275

Gastroparesis

Severe respiratory depression in a patient with gastroparesis while receiving opioids for pain, 321

Gender

Does gender affect appraisal of pain and pain coping strategies?, 31 Effects of gender and acute dental pain on thermal pain responses, 233

Group treatment

Chronic pain management in a health maintenance organization, 50

Health maintenance organization

Chronic pain management in a health maintenance organization, 50 Health-related quality of life

Disease-specific and generic health outcomes: A model for the evaluation of long-term intrathecal opioid therapy in noncancer low back pain patients, 122

Herpes zoster

Pain and somatosensory dysfunction, 78

Hyaluronidase

Nerve root sleeve injections in patients with failed back surgery syndrome: A comparison of three solutions, 132

Illicit drugs

Validity of self-reported drug use in chronic pain patients, 184 Impairment

Cognitive-behavioral treatment in unselected rheumatoid arthritis outpatients, 58

Injury

Validation of the Coping with Health, Injuries, and Problems Scale in a chronic pain sample, 41

Intellectual disability

Pain measurement in persons with intellectual disabilities, 13

Intent to return to work

Prediction of "intent," "discrepancy with intent," and "discrepancy with nonintent" for the patient with chronic pain to return to work after treatment at a pain facility, 141

Intervertebral disc

Relation between pain location and disc pathology: A study of pain drawings and CT/Discography, 210

Intrathecal morphine and bupivacaine

Intrathecal coadministration of bupivacaine diminishes morphine dose progression during long-term intrathecal infusion in cancer patients. 166

Intravenous

Intravenous titration with morphine for severe cancer pain: Report of 28 cases, 173

Job availability

Prediction of "intent," "discrepancy with intent," and "discrepancy with nonintent" for the patient with chronic pain to return to work after treatment at a pain facility, 141

Job perceptions

Prediction of "intent," "discrepancy with intent," and "discrepancy with nonintent" for the patient with chronic pain to return to work after treatment at a pain facility, 141

Letters to the Editor

Abacus VAS in burn pain assessment, 238

Consensus report therapy guidelines for CRPS, 154

CRPS: Are guidelines possible?, 159

Medullary and CNS dysfunction in chronic pain, 155

"Release-to-work" versus return-to-work, 324

Response to Dr. Quintner's letter to the editor, 157, 158

Response to Gerald Aronoff, 155

Response to letter by Dr. Daniel M. Doleys, 325

LISREL

Empirical test of the factor structure of the West Haven-Yale Multidimensional Pain Inventory, 24

Living status

Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant other," 290

Long-term intrathecal therapy

Disease-specific and generic health outcomes: A model for the evaluation of long-term intrathecal opioid therapy in noncancer low back pain patients, 122

Low back pain

Long-term opioid analgesic therapy for severe refractory lumbar spine pain, 136

Relation between pain location and disc pathology: A study of pain drawings and CT/Discography, 210

Marital status

Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant other," 290

Measurement

Pain in nursing home residents: An exploration of prevalence, staff perspectives, and practical aspects of measurement, 92

Medication

Cognitive-behavioral treatment in unselected rheumatoid arthritis outpatients, 58

Menstrual discomfort

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313 Mental retardation

Pain measurement in persons with intellectual disabilities, 13

Morphine

Intravenous titration with morphine for severe cancer pain: Report of 28 cases, 173

Multidimensional Pain Inventory

Empirical test of the factor structure of the West Haven-Yale Multidimensional Pain Inventory, 24

Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant other," 290

Muscle necrosis

Severe respiratory depression in a patient with gastroparesis while receiving opioids for pain, 321

Myofascial Pain Syndrome

Proximal myofascial dysfunction in Complex Regional Pain Syndrome: A retrospective prevalence study, 151

Narcotic

Long-term opioid analgesic therapy for severe refractory lumbar spine pain, 136

Neonates

Validation of the premature infant pain profile in the clinical setting, 297

Nerve root sleeve

Nerve root sleeve injections in patients with failed back surgery syndrome: A comparison of three solutions, 132

Noncancer pain

Disease-specific and generic health outcomes; A model for the evaluation of long-term intrathecal opioid therapy in noncancer low back pain patients, 122

Non-pharmacologic

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Nonverbal expression

Pain measurement in persons with intellectual disabilities, 13

Nurse

Pain in nursing home residents: An exploration of prevalence, staff perspectives, and practical aspects of measurement, 92

Nursing home

Pain in nursing home residents: An exploration of prevalence, staff perspectives, and practical aspects of measurement, 92

Occupational adaptation

Chronic pain in the elderly: Occupational adaptation as a means of coping with osteoarthritis of the hip and/or knee, 275

Occupational therapy

Short and long-term outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218

Opioids

Efface and safety of controlled-release versus immediate-release oxycodone: Randomized, double-blind evaluation in patients with chronic back pain, 179

Long-term opioid analgesic therapy for severe refractory lumbar spine pain, 136

Osteoporosis

Analgesic effects of salmon calcitonin suppositories in patients with acute pain due to recent osteoporotic vertebral crush fractures: A prospective double-blind, randomized, placebo-controlled clinical study, 284

Outcome

Short and long-term outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218

The Clinical Journal of Pain, Vol. 15, No. 4, 1999

Outcomes

Chronic pain management in a health maintenance organization, 50
Disease-specific and generic health outcomes: A model for the evaluation of long-term intrathecal opioid therapy in noncancer low
back pain patients, 122

Oxycodone

Efface and safety of controlled-release versus immediate-release oxycodone: Randomized, double-blind evaluation in patients with chronic back pain, 179

Pain

Analgesic effects of salmon calcitonin suppositories in patients with acute pain due to recent osteoporotic vertebral crush fractures:

A prospective double-blind, randomized, placebo-controlled clinical study, 284

Chronic pain disability exaggeration/malingering and submaximal effort research, 244

Cognitive-behavioral treatment in unselected rheumatoid arthritis outpatients, 58

Does gender affect appraisal of pain and pain coping strategies?, 31

Empirical subgroups of the coping strategies questionnaire-revised: A multisample study, 111

Empirical test of the factor structure of the West Haven-Yale Multidimensional Pain Inventory, 24

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Pain and somatosensory dysfunction in acute herpes zoster, 78

Pain in nursing home residents: An exploration of prevalence, staff perspectives, and practical aspects of measurement, 92

Self-reported abuse history and pain complaints among young adults, 85 Validation of the Coping with Health, Injuries, and Problems Scale

in a chronic pain sample, 41
Validation of the premature infant pain profile in the clinical set-

Validation of the premature infant pain profile in the clinical setting, 297

Pain assessment

Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment, 201

Pain measurement in persons with intellectual disabilities, 13

Relation between pain location and disc pathology: A study of pain drawings and CT/Discography, 210

Pain drawings

Relation between pain location and disc pathology: A study of pain drawings and CT/Discography, 210

Pain facility treatment

Prediction of "intent," "discrepancy with intent," and "discrepancy with nonintent" for the patient with chronic pain to return to work after treatment at a pain facility, 141

Pain management

Non-pharmacologic strategies used by adolescents for the management of menstrual discomfort, 313

Painmeter device

Analgesic effects of salmon calcitonin suppositories in patients with acute pain due to recent osteoporotic vertebral crush fractures: A prospective double-blind, randomized, placebo-controlled clinical study, 284

Pain threshold

Effects of gender and acute dental pain on thermal pain responses, 233

Pain tolerance

Effects of gender and acute dental pain on thermal pain responses, 233

Patient classification

Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant other." 290

Physical therapy

Short and long-term outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218

Pinprick tes

Block of pinprick and cold sensation poorly correlate with relief of postoperative pain during epidural analgesia, 6

Postoperative pain

Block of pinprick and cold sensation poorly correlate with relief of postoperative pain during epidural analgesia, 6

Pain assessment and treatment in children with cognitive impairment: A survey of nurses' and physicians' beliefs, 304

Postoperative pain expression in preschool children: Validation of the Child Facial Coding System, 192

Prediction

Validity of the Dictionary of Occupational Titles residual functional capacity battery, 102

Prevalence

Pain in nursing home residents: An exploration of prevalence, staff perspectives, and practical aspects of measurement, 92

Procedural pain

Pain assessment and treatment in children with cognitive impairment: A survey of nurses' and physicians' beliefs, 304

Psychiatric diagnoses

Validity of self-reported drug use in chronic pain patients, 184

RCT

Validation of the premature infant pain profile in the clinical setting, 297

Reflex sympathetic dystrophy

Proximal myofascial dysfunction in Complex Regional Pain Syndrome: A retrospective prevalence study, 151

Short and long-term outcomes of children with complex regional pain syndrome type I treated with exercise therapy, 218

Signs and symptoms in complex regional pain syndrome type I/reflex sympathetic dystrophy: Judgment of the physician versus objective measurement, 224

Reflex sympathetic dystrophy (RSD)

Subcutaneous infusion of lidocaine provides effective pain relief for CRPS patients, 67

Residual functional capacity

Validity of the Dictionary of Occupational Titles residual functional capacity battery, 102

Return to work

Prediction of "intent," "discrepancy with intent," and "discrepancy with nonintent" for the patient with chronic pain to return to work after treatment at a pain facility, 141

Validity of the Dictionary of Occupational Titles residual functional capacity battery, 102

Rheumatoid arthritis

Cognitive-behavioral treatment in unselected rheumatoid arthritis outpatients, 58

Salmon calcitonin suppositories

Analgesic effects of salmon calcitonin suppositories in patients with acute pain due to recent osteoporotic vertebral crush fractures: A prospective double-blind, randomized, placebo-controlled clinical study, 284

Sex

Does gender affect appraisal of pain and pain coping strategies?, 31

The Clinical Journal of Pain, Vol. 15, No. 4, 1999

Effects of gender and acute dental pain on thermal pain responses, 233 Significant neurologic impairment

Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment, 201

Significant other

Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant other," 290

Signs and symptoms

Signs and symptoms in complex regional pain syndrome type I/reflex sympathetic dystrophy: Judgment of the physician *versus* objective measurement, 224

Somatization

Self-reported abuse history and pain complaints among young adults, 85

Somatosensory thresholds

Pain and somatosensory dysfunction in acute herpes zoster, 78 Spinal opioid

Disease-specific and generic health outcomes: A model for the evaluation of long-term intrathecal opioid therapy in noncancer low back pain patients, 122

Subcutaneous lidocaine infusion

Subcutaneous infusion of lidocaine provides effective pain relief for CRPS patients, 67

Subgroups

Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant other," 290

Survey

Pain assessment and treatment in children with cognitive impairment: A survey of nurses' and physicians' beliefs, 304

Synergism

Intrathecal coadministration of bupivacaine diminishes morphine dose progression during long-term intrathecal infusion in cancer patients, 166 Tolerance

Intrathecal coadministration of bupivacaine diminishes morphine dose progression during long-term intrathecal infusion in cancer patients, 166

Transdermal fentanyl

Severe respiratory depression in a patient with gastroparesis while receiving opioids for pain, 321

Trigger points

Proximal myofascial dysfunction in Complex Regional Pain Syndrome: A retrospective prevalence study, 151

Urine toxicology

Validity of self-reported drug use in chronic pain patients, 184

Validation

Validation of the Coping with Health, Injuries, and Problems Scale in a chronic pain sample, 41

Vertebral crush fracture

Analgesic effects of salmon calcitonin suppositories in patients with acute pain due to recent osteoporotic vertebral crush fractures:

A prospective double-blind, randomized, placebo-controlled clinical study, 284

Visual analog scale

Analgesic effects of salmon calcitonin suppositories in patients with acute pain due to recent osteoporotic vertebral crush fractures:

A prospective double-blind, randomized, placebo-controlled clinical study, 284

Workers' compensation

Validity of self-reported drug use in chronic pain patients, 184

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 12, 1970: Section 3685 Title 39 United States Code) Date Filing—October 1, 1999. Title of Publication—The Clinical Journal of Pain; Frequency of Issue—4 issues per year; Annual Subscription Price-\$140.00; Location or Known Office of Publication-Lippincott Williams & Wilkins, 12107 Insurance Way, Hagerstown, MD 21740; Location of the Headquarters of General Business Offices of the Publisher—227 East Washington Square, Philadelphia, PA 19106; Publisher-Lippincott Williams & Wilkins, 227 East Washington Square, Philadelphia, PA 19106; Editor-Dennis C. Turk, Ph.D., Department of Anesthesiology, University of Washington, Seattle, WA 98195; Managing Editor—Caren P. Erlichman, Lippincott Williams & Wilkins, 227 East Washington Square, Philadelphia, PA 19106; Owner-Lippincott Williams & Wilkins, a wholly owned subsidiary of Wolters-Kluwer, US Corp., 227 East Washington Square, Philadelphia, PA 19106, 351 West Camden St., Baltimore, MD 21201, 345 Hudson Street, New York City, NY 10014; Known Bondholders, Mortgagees, and other security holders owning or holding 1 percent of more of total amount of bonds, mortgages, or other securities—none. A. Total no.copies printed (net press run), average 3597, actual 3700; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscription, average 2335, actual 2097; C. Total paid circulation, average 2335, actual 2097; D. Free distribution by mail, carrier or other means. Samples, complimentary, and other free copies, average 197, actual 210; E. Total distribution (sum of C and D), average 2532, actual 2307; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 1065, actual 1393; 2. Returns from news agents, none; G. Total (sum of E and F-should equal net press runs shown in A), average 3597, actual 3700. I certify that the statements made by me above are correct and complete. Abbe Nelson, Manager, Periodical Operations.

